

PATENT
Docket No.: 77792/44

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS: Mazaki OKAMURA.

SERIAL NO. : 10/500,041

FILED : 23 June 2004

FOR : VOLTAGE CONVERTER CONTROL APPARATUS AND METHOD

PATENT NO. : 7,199,537 B2 Issued 03 April 2007

COMMISSIONER FOR PATENTS
Customer Service Window
Randolph Bldg.
401 Dulany Street
Alexandria, VA 22314

Certificate
SEP 18 2007
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 C.F.R. §1.322 & §1.323


SIR:

It is respectfully requested that the enclosed certificate of correction be issued for the above Patent under authority of 35 USC §354 & §355.

The changes represent correction of errors on the part of the applicant as well as the PTO.

Please charge Deposit Account No. 11-0600 in the amount of \$100.00 to cover the fee under 37 C.F.R. 1.20(a).

Respectfully submitted,


Daniel G. Shanley
(Reg. No. 54,863)

Dated: 14 September 2007

KENYON & KENYON LLP
1500 K Street, N.W., Suite 700
Washington, DC 20005

Tel: (202) 220-4200
Fax: (202) 220-4201

09/17/2007 JADD01 00000027 110600 7199537
01 FC:1811 100.00 DA

SEP 18 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,199,537 B2 Page 1 of 2
DATED : 03 April 2007
INVENTOR(S) : Mazaki OKAMURA

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Title Page: In the Title: After "APPARATUS" delete ",".

Under "(75) Inventors:" change "Aichi-ken" to --Nishikamo-gun--.

Under "(30) Foreign Application Priority Data" change

"Jan. 14, 2003" to --Jan. 16, 2002--.

In the Drawings: Fig. 2(a), change 'MORTOR' to --MOTOR--.

Fig. 3, change "DRIIVING" (first occurrence) to --DRIVING--.

Fig. 13, box S404, change "VALUED" to --VALUE--.

<u>Column</u>	<u>Line</u>	
1	2	After "APPARATUS" delete ",".
1	33	Change "bussbars" to --buss bars--.
1	51	After "converter" insert --to--.
3	21	Delete "of the present invention".
7	25	Change " Δ vref" to -- Δ vref--.
7	56	After "terminated" insert --,--.
8	19	Change "votlate" to --voltage--.
9	54	change "votlate" to --voltage--.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,199,537 B2 Page 2 of 2
DATED : 03 April 2007
INVENTOR(S) : Mazaki OKAMURA

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>Column</u>	<u>Line</u>	
9	64	Change "Bv" to --Vb--.
11	24	Change "curreht" to --current--.
12	15	Change "imbax" to --Ibmax—
12	25	Change "a is added" to -- α is added--.
12	55	Before "may" insert --it--.
12	65	Change "computer" (second occurrence) to --program--.
18	22	After "source" change "." to --,--.

MAILING ADDRESS OF SENDER:

Shawn W. O'Dowd, Esq.
KENYON & KENYON LLP
1500 K Street, N.W., Suite 700
Washington, DC 20005

Patent No.: 7,199,537 B2